

# Test Report

No. CANML2001684401

Date: 03 Mar 2020

Page 1 of 6

SHENZHEN GENVAN SILICONE MATERIALS CO., LTD  
 DONGGUAN GENVAN SILICONE TECHNOLOGY CO., LTD  
 NO.29 SHAKENG ROAD,BILING,PINGSHAN,SHENZHEN CHINA  
 B3 BUILDING,2ND DISTRICT,XICHENG INDUSTRIAL ZONE HENGLI TOWN,DONGGUAN,CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as : GA-3071

SGS Job No. : GZIN2002004478PC - GZ  
 Tested Sample Info. : GA-3071  
 Client Ref. Info. : GA-2 series/ GA-3 series/ GA-9 series/ GA20 series/ GA21 series/  
 GA22 series/ GA23 series/ GA24 series/ GA26 series/ GA27 series/  
 GA28 series/ GA29 series  
 Date of Sample Received : 24 Feb 2020  
 Testing Period : 24 Feb 2020 - 03 Mar 2020  
 Test Requested : Selected test(s) as requested by client.  
 Test Method : Please refer to next page(s).  
 Test Results : Please refer to next page(s).

### Result Summary :

Test Requested	Conclusion
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation –Extractable components	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments–Sensorial examination odour and taste test	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation–Lead and Cadmium	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation–Volatile organic matter (VOM)	PASS
Polycyclic aromatic hydrocarbons (PAHs) Content	PASS

Conclusion : The tested parameters comply with the requirements stated in German Food, Articles of Daily Use and Feed Code of September 1, 2005(LFGB), Section 30 & 31 with amendments and Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004.



## Test Report

No. CANML2001684401

Date: 03 Mar 2020

Page 2 of 6

Signed for and on behalf of  
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

*Catty Gong*

Catty Gong  
Approved Signatory

scan to see the report



CANML2001684401



**Test Report**

No. CANML2001684401

Date: 03 Mar 2020

Page 3 of 6

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	CAN20-016844.001	Translucent silicone sheet	Silicone

**German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation –Extractable components**

Test Method : With reference to 61. Mitteilung über die Untersuchung von Kunststoffen, Bundesgesundheitsbl 46 (2003) 362.

<u>Simulant Used</u>	<u>Time</u>	<u>Temperature</u>	<u>Max. Permissible Limit</u>	<u>Result of 001</u>	<u>Comment</u>
Distilled water	4.0hr(s)	100°C	0.5%(w/w)	<0.1%(w/w)	PASS
3% Acetic Acid (W/V) Aqueous Solution	4.0hr(s)	100°C	0.5%(w/w)	<0.1%(w/w)	PASS
10% Ethanol (V/V) Aqueous Solution	4.0hr(s)	100°C	0.5%(w/w)	<0.1%(w/w)	PASS

Notes :

%w/w = percentage of weight by weight

**German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments–Sensorial examination odour and taste test**

Test Method : With reference to DIN10955:2004,direct contact method.  
No.of panelist:6

<u>Test Item(s)</u>	<u>Limit</u>	<u>001</u>
Test media	-	Distilled water
Test Temperature (°C)	-	100
Test time (hr)	-	4
Sensorial examination odour (Point scale)	2.5	1.0
Sensorial examination taste (Point scale)	2.5	1.0
<b>Comment</b>		<b>PASS</b>

Notes :

Intensity scale (rounded at 0.5):  
0 – no perceptible difference



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com

- 1 – just perceptible difference
- 2 – slight difference
- 3 – marked difference
- 4 – strong difference

**German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation–Lead and Cadmium**

Test Method : Microwave digestion (GZTC CHEM-TOP-004-01) , analysis was performed by ICP-OES.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Cadmium (Cd)	★	mg/kg	2	ND
<b>Comment</b>				<b>PASS</b>
Lead (Pb)	★	mg/kg	2	ND
<b>Comment</b>				<b>PASS</b>

Notes :

- 1. mg/kg = milligram per kilogram of sample
- 2. MDL=Method Detection Limit
- 3. ND= Not Detected(less than MDL)
- 4. ★= Absent

**German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments and BfR recommendation–Volatile organic matter (VOM)**

Test Method : With reference to 61. Mitteilung über die Untersuchung von Kunststoffen, Bundesgesundheitsbl 46 (2003) 362.

<u>Test Item(s)</u>	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Test Temperature	-	°C	-	200
Test Time	-	hr(s)	-	4.0
Volatile organic matter (VOM)	0.5	%(w/w)	0.10	ND
<b>Comment</b>				<b>PASS</b>

Notes :

- 1. %w/w = percentage of weight by weight
- 2. MDL=Method Detection Limit
- 3. ND= Not Detected(less than MDL)

**Polycyclic aromatic hydrocarbons (PAHs) Content**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com



# Test Report

No. CANML2001684401

Date: 03 Mar 2020

Page 5 of 6

Test Method : With reference to AfPS GS 2014:01 PAK, analysis was performed by GC-MS.

Test Item(s)	CAS NO.	Limit	Unit	MDL	001
Sum of 18 PAHs	-	1.0	mg/kg	-	ND
Sum of 7 PAHs Acenaphthylene, Acenaphthene, Fluorene, Phenanthrene, Pyrene, Anthracene, Fluoranthene	-	1.0	mg/kg	-	ND
Naphthalene(NAP)	91-20-3	1.0	mg/kg	0.1	ND
Acenaphthylene(ANY)	208-96-8	-	mg/kg	0.1	ND
Acenaphthene(ANA)	83-32-9	-	mg/kg	0.1	ND
Fluorene(FLU)	86-73-7	-	mg/kg	0.1	ND
Phenanthrene(PHE)	85-01-8	-	mg/kg	0.1	ND
Anthracene(ANT)	120-12-7	-	mg/kg	0.1	ND
Fluoranthene(FLT)	206-44-0	-	mg/kg	0.1	ND
Pyrene(PYR)	129-00-0	-	mg/kg	0.1	ND
Benzo(a)anthracene(BaA)	56-55-3	0.2	mg/kg	0.1	ND
Chrysene(CHR)	218-01-9	0.2	mg/kg	0.1	ND
Benzo(b)fluoranthene(BbF)	205-99-2	0.2	mg/kg	0.1	ND
Benzo(j)fluoranthene(BjF)	205-82-3	0.2	mg/kg	0.1	ND
Benzo(k)fluoranthene(BkF)	207-08-9	0.2	mg/kg	0.1	ND
Benzo(a)pyrene(BaP)	50-32-8	0.2	mg/kg	0.1	ND
Benzo(e)pyrene(BeP)	192-97-2	0.2	mg/kg	0.1	ND
Indeno(1,2,3-c,d)pyrene(IPY)	193-39-5	0.2	mg/kg	0.1	ND
Dibenzo(a,h)anthracene(DBA)	53-70-3	0.2	mg/kg	0.1	ND
Benzo(g,h,i)perylene(BPE)	191-24-2	0.2	mg/kg	0.1	ND

Comment


PASS

Notes :

1. mg/kg = milligram per kilogram of sample
2. MDL=Method Detection Limit
3. ND= Not Detected(less than MDL)



Sample photo:



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

